



list labs

540 Division Street, Campbell, California 95008-6906
Tel. (408) 866-6363 Fax (408) 866-6364
www.listlabs.com

Product #169B
Lot #1692A1B
Release Date: March 2012

CERTIFICATE OF ANALYSIS
ANTHRAX LETHAL FACTOR (LF-A), RECOMBINANT
from *Bacillus anthracis*
NATIVE SEQUENCE
Lot #1692A1B

Contents

Each vial, when reconstituted with 0.5 ml of water, contains 1 mg of recombinant lethal factor from *Bacillus anthracis*, native sequence¹ in 5mM HEPES, 50mM NaCl, pH 7.5. Read the following recommendations prior to reconstituting this material. **Handle the product gently; do not vortex.**

Recommended Reconstitution and Storage of Anthrax Proteins

Anthrax toxin proteins, when reconstituted with water, may be stored at 2 – 8°C and used successfully within a few hours. However, over longer periods of time, there will be a decline in the enzymatic activity of LF *in vitro* and the activity of the protective antigen (PA) + LF complex in living cells. If it is necessary to store this material, reconstitute at a concentration of 1 mg/ml.² Reconstitution with 1 mg/ml BSA will enhance stability and recovery.

It is further recommended that the solution be aliquoted and frozen at either -20°C or -80°C. Avoid repeated freeze-thaw cycles. After the protein has been reconstituted as described above, cold glycerol may be added to 50% if a liquid is desired at freezer temperatures.

Packaging/Storage

This product is packaged aseptically, lyophilized and sealed under vacuum. Store at 2 – 8 °C prior to reconstitution.

Concentration

Protein concentration was determined by a modification of Bradford,³ using bovine serum albumin as the standard.

Purity

When examined on 4 – 12% polyacrylamide gels in the presence of SDS, this protein migrates as a major band with an apparent molecular weight of 90,000 daltons. Densitometric analysis estimates the purity of the product as ≥ 90%.

The endotoxin content, determined using a kinetic chromogenic LAL assay, is < 1.3 EU/mg.

(continued)

Activity

LF-A is assessed for specific activity in units/mg protein, using MAPKKide[®], product #530, which is a synthetic FRET peptide containing a single cleavage site for LF-A. A standard curve generated from MAPKKide[®] Unquenched Calibration Peptide for 530, product #539, is used to convert relative fluorescence units (RFU) to μ moles of cleaved substrate. One unit of lethal factor will catalyze the release of 1.0 μ mole of cleaved MAPKKide[®] per minute at 37°C in 20mM HEPES, pH 8.2. The specific activity of this lot of lethal factor is 0.153 units/mg.

LF-A is assessed for cytotoxicity in the presence of 1 μ g/mL PA using J774A.1 cells. Cell viability is measured using the Cell counting Kit 8 (CCK-8) from Dojindo Molecular Technologies, Inc. When J774A.1 cells are treated with LF-A alone, no toxicity was seen at 1 μ g/mL (11 nM). The effective concentration 50% (EC₅₀) of this LF lot meets specifications.

Tissue Culture Applications

For tissue culture applications, medium containing glutamine must be fresh. Ammonium ions are released when glutamine breaks down, and may prevent acidification of the endosome thereby inhibiting translocation of LF-A or Edema Factor (EF) into the cytosol.⁴ A stable form of glutamine must be used.^{5,6}

Handling

Good laboratory technique should be employed in the safe handling of this product. Wear appropriate laboratory attire including lab coat, gloves and safety glasses. Nitrile gloves are recommended when handling lyophilized material.

This product is intended for research purposes by qualified personnel. It is not intended for use in humans or as a diagnostic agent. List Biological Laboratories, Inc. is not liable for any damages resulting from the misuse or handling of this product.

FOR RESEARCH PURPOSES ONLY. NOT FOR HUMAN USE.

References

1. Gupta, P. K. et al. (2000) *PLoS ONE* **3(9)**: e3130
2. Leppla, S.H. (1988) *Meth. Enz.* **165**, 103-116.
3. Bradford, M.M. (1976) *Anal. Biochem.* **72**, 248-254.
4. Stephen Little, personal communication.
5. GlutaMAX™ by Invitrogen/Gibco, www.invitrogen.com
6. Ala-Gln by Sigma, www.sigmaaldrich.com

QA/QC: KPD Date: 01/29/2021Made in U.S.A. 